

## USPTO PATENT FULL-TEXT AND IMAGE DATABASE

<a href="#">Home</a>	<a href="#">Quick</a>	<a href="#">Advanced</a>	<a href="#">Pat Num</a>	<a href="#">Help</a>
<a href="#">Next List</a>	<a href="#">Bottom</a>	<a href="#">View Cart</a>		

Searching 1976 to present...

Results of Search in 1976 to present db for:

ACLM/"up to about": 23284 patents.

Hits 1 through 50 out of 23284

[Next 50 Hits](#)

[Jump To](#)

[Refine Search](#)

ACLM/"up to about"

PAT. NO.	Title
1 <a href="#">6,841,616</a>	<a href="#">T Polymerization of halogen-containing monomers using siloxane surfactant</a>
2 <a href="#">6,841,535</a>	<a href="#">T Peptide-mediated transfection agents and methods of use</a>
3 <a href="#">6,841,527</a>	<a href="#">T Bactericidal cleaning wipe containing a cationic biocide</a>
4 <a href="#">6,841,484</a>	<a href="#">T Method of fabricating a magneto-resistive random access memory (MRAM) device</a>
5 <a href="#">6,841,146</a>	<a href="#">T Spray composition</a>
6 <a href="#">6,841,012</a>	<a href="#">T Anti-tarnish silver alloy</a>
7 <a href="#">6,841,011</a>	<a href="#">T Iron base high temperature alloy and method of making</a>
8 <a href="#">6,841,000</a>	<a href="#">T Mineralizer composition and method for growing zinc oxide crystals, films and powders</a>
9 <a href="#">6,840,995</a>	<a href="#">T Process for producing fast-setting, bioresorbable calcium phosphate cements</a>
10 <a href="#">6,840,752</a>	<a href="#">T Apparatus for preparing multiple eyeglass lenses</a>
11 <a href="#">6,840,297</a>	<a href="#">T Heavy-duty tire</a>
12 <a href="#">6,840,188</a>	<a href="#">T Towed transport, launch and recovery raft</a>
13 <a href="#">6,840,178</a>	<a href="#">T Shaped charge liner</a>
14 <a href="#">6,838,535</a>	<a href="#">T Process for the living radical polymerization of chlorine containing monomers</a>
15 <a href="#">6,838,520</a>	<a href="#">T Adhesives for fluoropolymer films and structures containing same</a>

- 16 6,838,358 **T** Method of manufacturing a wafer
- 17 6,838,190 **T** Article with intermediate layer and protective layer, and its fabrication
- 18 6,838,189 **T** Magnetic recording media with high SNR and high thermal stability
- 19 6,838,169 **T** Polishing pad resistant to delamination
- 20 6,838,159 **T** High transmittance, low emissivity coatings for substrates
- 21 6,838,155 **T** Foam pad and process for production thereof
- 22 6,838,069 **T** Apparatus and method for ammonia removal from waste streams
- 23 6,838,005 **T** Nanosize electropositive fibrous adsorbent
- 24 6,837,972 **T** Tissue and towel products containing crosslinked cellulosic fibers
- 25 6,837,248 **T** Reduced ignition propensity smoking article
- 26 6,835,863 **T** Catalytic production of light olefins from naphtha feed
- 27 6,835,764 **T** Biodegradable composition and products prepared therefrom
- 28 6,835,678 **T** Ion sensitive, water-dispersible fabrics, a method of making same and items using same
- 29 6,835,536 **T** Antimicrobial cationic peptides and formulations thereof
- 30 6,835,505 **T** Mask for projection photolithography at or below about 160 nm and a method thereof
- 31 6,835,462 **T** Conformable and die-cuttable biaxially oriented films and labelstocks
- 32 6,835,403 **T** Method for smoking white rice
- 33 6,835,366 **T** Chemical derivatization of single-wall carbon nanotubes to facilitate solvation thereof, and use of derivatized nanotubes
- 34 6,835,333 **T** Combinations for use as toners in polyesters
- 35 6,835,328 **T** Overbased metal carbonate/carboxylate microemulsions and halogen-containing polymers containing same
- 36 6,834,745 **T** Anchoring device
- 37 6,833,677 **T** 150W-1000W mastercolor ceramic metal halide lamp series with color temperature about 4000K, for high pressure sodium or quartz metal halide retrofit applications
- 38 6,833,431 **T** Double-metal cyanide catalysts for preparing polyether polyols
- 39 6,833,404 **T** Hot melts utilizing a high glass transition temperature substantially aliphatic tackifying resin
- 40 6,833,360 **T** Process for preparing pseudoephedrine tannate
- 41 6,833,116 **T** Variable flow regulator for use with gas treatment devices

- 42 [6,833,021](#) **T** [Method for treating precious metal bearing minerals](#)
- 43 [6,833,018](#) **T** [Powder metal materials including glass](#)
- 44 [6,832,996](#) **T** [Electrosurgical systems and methods for treating tissue](#)
- 45 [6,832,912](#) **T** [Method of realigning teeth utilizing cyclical forces](#)
- 46 [6,832,565](#) **T** [Pulse gasification and hot gas cleanup apparatus and process](#)
- 47 [6,831,248](#) **T** [Use of helium/nitrogen gas mixtures for the laser welding of stainless steel pipes](#)
- 48 [6,831,145](#) **T** [Silicone composition and electrically conductive, cured silicone product](#)
- 49 [6,831,132](#) **T** [Film adhesives containing maleimide compounds and methods for use thereof](#)
- 50 [6,831,119](#) **T** [Additive for rubber elastomers](#)
- 

	<a href="#">Next List</a>	<a href="#">Top</a>	<a href="#">View Cart</a>	
<a href="#">Home</a>	<a href="#">Quick</a>	<a href="#">Advanced</a>	<a href="#">Pat Num</a>	<a href="#">Help</a>